

## - Certificate / Product Information -

### RAVENOL QUADROGEAR

Art. 1250200

SYNTHETIC

QUAD

#### Description:

**RAVENOL QUADROGEAR** is synthetic special axle oil which is developed for Quads and ATV (all terrain vehicle) with integrated wet-brake.

**RAVENOL QUADROGEAR** is based on high quality solvent refined and synthetic base oil with a special additivation and inhibition which guarantees excellent protection against wear and corrosion.

The coefficient friction of **RAVENOL QUADROGEAR** has been adjusted for the use in the drive with integrated wet-brake.

#### Application Directions:

**RAVENOL QUADROGEAR** has been specially developed for the use in drives with integrated wet-brake. Can be used all-the-year.

#### Quality Classification:

**RAVENOL QUADROGEAR** tried and tested for aggregates specifying:

Recommendations: Quad-Engines with wet-brakes: KAWASAKI, YAMAHA, BOMBARDIER, SUZUKI, a.s.o.

#### Technical Characteristics:

**RAVENOL QUADROGEAR** offers:

- High oxidation stability.
- Excellent protection against rust and corrosion.
- Avoiding foam formation.
- Excellent high pressure characteristic.

#### Technical Values:

Characteristics	Unit	Data	Test according to
Density at 20°C	kg/m <sup>3</sup>	870,0	EN ISO 12185
Colour		yellow	visual
Viscosity at 100°C	mm <sup>2</sup> /s	17,3	DIN 51562-1
Viscosity at 40°C	mm <sup>2</sup> /s	118,5	DIN 51562-1
Viscosity Index VI		158	DIN ISO 2909
Brookfield Viscosity at -40°C	mPa*s	80.000	ASTM D2983
Pourpoint	°C	-39	DIN ISO 3016
Flashpoint	°C	202	DIN ISO 2592
Copper Strip Test at 121°C		1b	ASTM D130

All indicated data are approximate values and are subject to the commercial fluctuations.